

WeatherPort

Creating Your Quality Shelter Solutions

DESIGNED IN COLORADO...TO WITHSTAND TOUGH CONDITIONS ANYWHERE



Engineered to handle the toughest climates, WeatherPort structures have been used from the South Pole to the Greenland Ice Cap.

LIVESTOCK

High Quality Fabric Tension Structures Manufactured to Your Specifications

- Warehousing
- Maintenance
- Dry Storage
- Man Camps
- Greenhouses
- Out-buildings



GREENHOUSE



STORAGE, WAREHOUSING
& INDOOR ARENAS

NATIONAL
WESTERN
Stock Show



SPORTSMEN



Proud sponsor of the National Western Stock Show
and the opportunity to serve the Ranching & Ag Communities

WeatherPort - Legendary Toughness

WeatherPORT
SHELTERING YOUR WORLD
weatherport.com
MADE IN THE USA

WeatherPort, manufacturing fabric tension structures on Colorado's Western Slope Since 1968

info@weatherport.com www.weatherport.com

SOFT EAVE GABLE PROFILE

MULTI-USE STRUCTURES

WEATHERPORT

DESIGNED IN COLORADO...TO WITHSTAND TOUGH CONDITIONS ANYWHERE

WeatherPORT's Soft Eave Gable Profile is designed for strength as well as attractive appearance.


The perfect solution for your ranch, farm and business out-building or storage needs. Durable, versatile and portable structures, priced so you can afford to protect your valuable assets. Don't let another season go by without a WeatherPort to protect your equipment, vehicles, tack and animals!



WeatherPort - Legendary Toughness




STANDARD COLORS



OPTIONAL COLORS



L/H Gable Series Complete Product Line Profile




weatherport.com


TECHNICAL FEATURES

TENSION FABRIC ADVANTAGES


- Saves time and money in construction costs
- Hundreds of sizes and options available
- Minimal foundation requirements
- Minimal tools required for set-up
- Compact package for transport
- Maintenance free




WINDOW OPTIONS



COMBINATION OPTIONS



ENTRY OPTIONS




LIGHT FRAME



"L" GABLE SERIES

The "L" Series Gable Profile offers the finest in WeatherPort features providing unsurpassed strength and a pleasing design for any application. The "L" Series has a lighter frame that starts with a 15' wide profile (1500) and goes up to a width of 24' (2400). Easy set-up, portability, and the ability to customize your unit, makes this one of our most popular designs.




Light framed unit with stalls for livestock

SIZES

"L"
(Light)

- 1500 (15')
- 1600 (16')
- 1800 (18')
- 2000 (20')
- 2200 (22')
- 2400 (24')



"L" GABLE TECHNICAL SPECIFICATIONS

WIDTH	15'						15' THRU 24'					
	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Arch Spacing	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Height	9'-6"	9'-6"	9'-8"	9'-8"	10'	10'	10'-3"	10'-3"	11'-1.5"	11'-1.5"	11'-5"	11'-5"
Snow Load PSF	40	85	32	65	27	55	23	45	20	37	15	27
Wind Load MPH	80	110	75	105	70	100	70	95	65	90	65	90


UNITS MAY BE RAISED IN HEIGHT BY 1' INCREMENTS

HEAVY FRAME



"H" GABLE SERIES

The "H" Series Gable is the heavier version in the gable series. Built to handle high wind and heavy snow conditions, the "H" series gable is the choice when you need a stronger solution. A great solution for dry storage or calving shed.




Outbuilding with an extended porch area

SIZES

"H"
(Heavy)

- 1500 (15')
- 1600 (16')
- 1800 (18')
- 2000 (20')
- 2200 (22')
- 2400 (24')
- 2600 (26')
- 3000 (30')



"H" GABLE TECHNICAL SPECIFICATIONS

WIDTH	15'		16'		18'		20'		22'		24'		26'		30'	
	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Arch Spacing	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Height	9'-3.5"	9'-3.5"	9'-6"	9'-6"	9'-6.5"	9'-6.5"	10'-3.5"	10'-3.5"	10'-4.5"	10'-4.5"	10'-10"	10'-10"	11'-2"	11'-2"	11'-11"	11'-11"
Snow Load PSF	85	160	85	160	65	130	50	105	41	85	33	65	27	55	20	36
Wind Load MPH	110	155	110	155	105	150	100	140	100	140	95	135	90	125	90	120

UNITS MAY BE RAISED IN HEIGHT BY 1' INCREMENTS


STANDARD GABLE PROFILE SMALLER CAPACITY STRUCTURES



Don't let the little structure size fool you ... this shelter is designed to handle heavy snow loads and high winds. With a light footprint yet durable frame, the reliable gable comes ready to anchor down for the short or long haul—store your lawn equipment, ATVs or motorcycles away from all the damaging conditions Mother Nature can throw your way.



Standard Gable Sizing








GB


(Gable) WIDTH

- 800 (8')
- 1000 (10')
- 1200 (12')
- 1500 (15')
- 1600 (16')
- 1800 (18')
- 2000 (20')
- 2200 (22')
- 2400 (24')

1.75"
Square
17 Ga.




ANCHORING SYSTEMS



STANDARD COLORS



OPTIONAL COLORS



8' THRU 24' HEAVY DUTY GABLE TECHNICAL SPECIFICATIONS

Width	8'		10'		12'		15'		16'		18'		20'		22'		24'	
Arch Spacing	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Peak Height	6'-11.5"	6'-11.5"	7'-4.5"	7'-4.5"	7'-8.5"	7'-8.5"	8'-5.5"	8'-5.5"	8'-6.5"	8'-6.5"	10'-10.5"	10'-10.5"	11'-2.5"	11'-2.5"	11'-7.5"	11'-7.5"	12'-0.5"	12'-0.5"
Eave Height	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	5'-1.5"	7'-1.5"	7'-1.5"	7'-1.5"	7'-1.5"	7'-1.5"	7'-1.5"	7'-1.5"	7'-1.5"
Snow Load PSF	105	210	65	135	45	90	30	60	25	50	18	35	15	30	12	25	10	20
Wind Load MPH	100	140	95	135	90	125	85	120	80	115	60	85	60	85	55	80	55	80

UNITS MAY BE RAISED IN HEIGHT BY 1' INCREMENTS



WeatherPort - Legendary Toughness

info@weatherport.com www.weatherport.com

WEST
1-866-984-7778

MIDWEST
1-800-569-1804