

WeatherPort

CAMP PRODUCTS

2009

WILDERNESS
OUTITTERS



WeatherPort - Legendary Toughness

HUNTING
CAMP




FISHING

BASE UNITS



XT Profile

XT SERIES SPECIFICATIONS




The WeatherPort XT Camp Tent, tested and proven tough enough for the high country of the Rocky Mountains. The XT Camp Tent is easy to pack, easy to set up, and strong enough for 3rd season elk camps at 11,000 ft.

Width: 12' **Height:** 7'-7"
Length: 5' increments




1200XT (6")


END OPTIONS




No End



MNV End



Single Zip End



Double Zip End

Galvanized Steel Framework

XT Package

- Frame 5' or 2.5' on center.
- 18oz Guardrite Premium vinyl cover and end walls.
- 1 end wall with - 36" wide x 6'-6" high Heavy-duty double zip door with mosquito netting and one zippered net vent
- 1 end wall with zippered mosquito net vent (MNV)
- 1 Cover with 2 zippered net vents with rain flaps
- Rope Tensioning system
- 1- 6" i.d. stove pipe ring
- Non-slip vinyl floor
- Stake anchors

COLORS



12' XT TECHNICAL SPECS


	12' XT	
Width	5'	2.5'
Arch Spacing	5'	2.5'
Height	7'-7"	7'-7"
Snow Load PSF	10	20
Wind Load MPH	35	50

**Backed By
Over 40 Years
Experience Providing
Reliable Shelters**

LEAVE NO TRACE—WeatherPort camp tents tread lightly and leave a soft footprint



HD Profile



1200 HD SERIES SPECIFICATIONS



It has been a long hard hunt, one of the best! Even the horses are tired, and all you can think about is the hot meal waiting for you back at camp and settling down for the night inside your warm and dry WeatherPort.

Width: 12' **Height:** 7'-1"
Length: 5' increments

Galvanized Steel Framework

Base: 1" square tubing
Arch: 1.163" Round Tubing
Spacers: 3 rows, 1.163" round tubing, slip fit

Anchoring System

1/2" x 18" spikes for earth or asphalt Lag Bolts for wood frame.
 Concrete Anchors, 1/2" drop in accepts 3/8" bolt







Cover/End Fabric

18 oz. Guard-rite Premium Reinforced Vinyl Fabric,
 Cable/Rope Tension System

Options

Customize your entry & ventilation options.

END OPTIONS



1200HD (6")

Ask about WeatherPort tent accessories:

- Insulation/Liners
- Stove Rings
- Double Zip Entry w/net
- Vinyl Flooring
- Guy Ropes

8' THRU 16' HD TECHNICAL SPECIFICATIONS

	8' HD		10' HD		12' HD		15' HD		16' HD	
Width	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Arch Spacing	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Height	7'	7'	7'-7"	7'-7"	7'	7'	9'-2"	9'-2"	11'-6"	11'-6"
Snow Load PSF	25	50	25	50	25	50	20	40	15	30
Wind Load MPH	35	50	35	50	35	50	30	45	20	30



1015 HD Pack Unit


Comes With Bags Designed To Hook On Your Saddle

Packing your camp tents into the wilderness has never been easier! Weatherport's HD Pack Tent fits your pack saddle and loads evenly on your horse. Designed by a life-long rancher and guide, the WeatherPort Pack Tent is designed for outfitters by an outfitter. Keep your clients warm, dry and comfortable in a WeatherPort camp.

Width: 10' **Length:** 15'
Arch Spacing: 5' increments
Height: 7'-7"

Galvanized Steel Framework

Base: 1" square tubing
Arch: 1.163" Round Tubing, 5' arch spacing (STD)
Spacers: 3 rows, 1.163" round tubing, slip fit



1015 will pack on one horse with an approximate weight of 250 pounds.


All You Need Is A Tape Measure And A Hammer For Setup



HOME BASE • The Gable Profile

WEATHERPORT — WHEN YOU'RE NOT ON THE HUNT!

L/H Series Complete Product Line Profile




The perfect solution for your ranch, farm and business out-building or storage needs. Durable, versatile and portable structures, priced so you can afford to protect your valuable assets. Don't let another season go by without a WeatherPort to protect your equipment, vehicles, tack and animals!

"L" SERIES SPECIFICATIONS

SIZES

- "L"**
(Light)
1400
1500
1600
1800
2000
2200
2400




The "L" Series Gable Profile offers the finest in WeatherPort features providing unsurpassed strength and a pleasing design for any application. The "L" Series has a lighter frame and starts with a 14' wide profile (1400) and go up to a width of 24' (2400). Easy set-up, versatility, and the ability to customize your unit, makes this one of our most popular designs.

"H" SERIES SPECIFICATIONS

SIZES

- "H"**
(Heavy)
1500
1600
1800
2000
2200
2400
2600
3000



The "H" Series Gable is the heavier version in the gable series. Built to handle high wind and heavy snow conditions, the "H" series gable is the choice when you need a stronger solution.

STANDARD COLORS




OPTIONAL COLORS



"L" GABLE TECHNICAL SPECIFICATIONS

14' THRU 24'




Width	14'		15'		16'		18'		20'		22'		24'	
Arch Spacing	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Height	12'-3"	12'-3"	9'-6"	9'-6"	9'-8"	9'-8"	10'	10'	10'-3"	10'-3"	11'-1.5"	11'-1.5"	11'-5"	11'-5"
Snow Load PSF	90	180	40	85	32	65	27	55	23	45	20	37	15	27
Wind Load MPH	105	148	80	110	75	105	70	100	70	95	65	90	65	90

UNITS MAY BE RAISED IN HEIGHT BY 1" INCREMENTS

"H" GABLE TECHNICAL SPECIFICATIONS

15' THRU 30'



Width	15'		16'		18'		20'		22'		24'		26'		30'	
Arch Spacing	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'	5'	2.5'
Height	9'-3.5"	9'-3.5"	9'-6"	9'-6"	9'-6.5"	9'-6.5"	10'-3.5"	10'-3.5"	10'-4.5"	10'-4.5"	10'-10"	10'-10"	11'-2"	11'-2"	11'-11"	11'-11"
Snow Load PSF	85	160	85	160	65	130	50	105	41	85	33	65	27	55	20	36
Wind Load MPH	110	155	110	155	105	150	100	140	100	140	95	135	90	125	90	120

UNITS MAY BE RAISED IN HEIGHT BY 1" INCREMENTS

WeatherPort - Legendary Toughness



1-866-984-7778

email: info@weatherport.com